



**KANDELA**  
LIGHTING & DESIGN

# KANDELA



---

## About us

Our company, which is in its 10th year, continues to take an important place in the lighting sector at home and abroad with the breakthroughs it has made during this period.

Our company offers superior decorative products, corresponding to international standards, with its distinct product design ideas for hotels, congress centers, shopping malls, Business Centers and elite housing projects as well as the experienced team located in our production facilities in ÇORLU Tekirdağ and Moscow, Russia.

Kandela Elektrik carries out a variety of domestic and international projects using various materials such as glass, wood, iron, brass and crystal, created by the company's experienced craftsmen and its creative design team.






Any idea turns into a unique design object, step by step passing its way through all stages of its implementation.

The first stage is the time when all the author's images and thoughts materialize in sketches and drawings.

Next - analysis and structuring of sketches in order to convert them into drawings and create a complete image of the future model, using technology,

An important stage is the material embodiment of the model from the drawing stage into a finished sample, in which all the thoughts and ideas of the author come to life.

Each model is unique, each sample is unique. But when project authors, designers and technicians work together, in conjunction with each other, based on mutual understanding and attention to teamwork, then after days, and sometimes months, lines and shapes take on a material appearance in not just one, but in several unique objects.





CONCEPT

# KANDELA

## CONCEPT SERIES

### SMD - 01

#### Specifications:

IP20 rated  
Lighting system: 22 x E14  
Max Wattage: 22\*20W  
Color temperature: 2000-4000K

#### Dimensions:

Ø 59" (1500mm) | H 31-1/2" - 59" (800-1500mm)

#### Frame materials:

glass

#### Frame material finishing/coating:



chrome

#### Shade/diffuser material:

○ fabric | VK1-2001

● fabric | VK2-2001

● fabric | VK3-2001





## CONCEPT SERIES

## KANDELA

### SMD - 48

#### Specifications:

IP20 rated  
Lighting system: 32 x E14  
Color temperature: 2000-4000K

#### Dimensions:

Ø 59" (1500mm) | H 78" - 118" (2000-3000mm)

#### Frame materials:

steel

#### Frame material finishing/coating:

paint

#### Shade/diffuser material:

glass

○ fabric | VK2-2001 / VK2-2002

● fabric | VK4-2001 / VK4-2002

● fabric | VK5-2001 / VK5-2002


#### Coating color:

● brass | BR S02

● burnished brass | BB S03

● matte chrome | MT S04

● gold | GL S01



# KANDELA

## CONCEPT SERIES

### YMD - 11

#### Specifications:

Environment IP: IP20  
Lighting system: 1 x E27  
Color temperature: 2000-4000K

#### Dimensions:

L 15-3/4" (400mm) | B 15-3/4" (400mm)  
H 62" (1590mm)

#### Frame materials:

steel  
burnished brass  
brass

#### Shade/diffuser material:


- fabric | VK1-2001
- fabric | VK2-2001
- fabric | VK3-2001

#### Frame material finishing/coating:

anodizing  
paint  
naturally polished

#### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01







## CONCEPT SERIES

## KANDELA

### MMD - 7

#### Specifications:

IP20 rated  
Lighting system: LED strip  
Color temperature: 2000-4000K

#### Dimensions:

L 19" (490mm) | B 2.36" (60mm) | H 11.6" (295mm)

#### Frame materials:

aluminum

#### Shade/diffuser material:


acrylic

#### Frame material finishing/coating:

anodizing  
paint

#### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01



# KANDELA

## CONCEPT SERIES

### DMD - 10

#### Specifications:

IP20 rated  
Lighting system: LED strip  
Color temperature: 2000-4000K

#### Dimensions:

L 7-7/8" (200mm) | B 3-5/32" (80mm) | H 10" (250mm)

#### Frame materials:

brass

#### Shade/diffuser material:


glass

#### Frame material finishing/coating:

paint  
naturally polished

#### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01





## CONCEPT SERIES

## KANDELA

### SMD - 14

#### Specifications:

IP20 rated  
Lighting system: LED strip  
Color temperature: 2000-4000K

#### Dimensions:

L 78" (2000mm) | B 19-11/16" (500mm)  
H 59" - 78" (1500 - 2000mm)

#### Frame materials:

steel



#### Shade/diffuser material:


glass

#### Frame material finishing/coating:

paint  
naturally polished

#### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01



# KANDELA

## CONCEPT SERIES

SMD - 8

### Specifications:

IP20 rated  
Lighting system: LED strip  
Color temperature: 2000-4000K

### Dimensions:

L 118" (3000mm) | B 7-7/8" (200mm)  
H 19-11/16" (500mm)

### Frame materials:


steel

### Frame material finishing/coating:

naturally polished

### Shade/diffuser material:

acrylic  
marble





## CONCEPT SERIES

## KANDELA

### SMD - 21

#### Specifications:

IP20 rated  
Lighting system: 6 x G9  
Color temperature: 2000-4000K

#### Dimensions:

L 14-49/64" (375mm) | B 11-13/16" (300mm)  
H 15-3/4" (400mm)





#### Frame materials:


aluminum

#### Frame material finishing/coating:

anodizing  
paint

#### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01



# KANDELA

## CONCEPT SERIES

### DMD - 24

#### Specifications:

IP20 rated  
Lighting system: LED  
Color temperature: 2000-4000K

#### Dimensions:

L 4" (100mm) | B 4" (100mm)  
H 43-5/16" (1100mm)

#### Frame materials:

steel


#### Shade/diffuser material:


acrylic

#### Frame material finishing/coating:

paint  
naturally polished

#### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01





## CONCEPT SERIES

## KANDELA

### DMD - 13

#### Specifications:

IP20 rated  
Lighting system: LED strip  
Color temperature: 2000-4000K

#### Dimensions:

L 3-55/64" (98mm) | B 1-1/2" (38mm)  
H 21-21/32" (550mm)

#### Frame materials:

steel

#### Shade/diffuser material::


glass

#### Frame material finishing/coating:

paint  
naturally polished

#### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01



# KANDELA

## CONCEPT SERIES

### SMD - 19

#### Specifications:

IP20 rated  
Lighting system: 1 x EY10  
Color temperature: 2000-4000K

#### Dimensions:

Ø 10" (250mm)  
H 39-3/8" - 78-47/64" (1000 - 2000mm)

#### Frame materials:

steel

#### Frame material finishing/coating:



paint

#### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01

#### Shade/diffuser material:

glass







## CONCEPT SERIES

## KANDELA

### SMD - 20

#### Specifications:

IP20 rated  
Lighting system: 89 x EY10  
Color temperature: 2000-4000K

#### Dimensions:

Ø 59" (1500mm)  
H 139-3/8" - 78-47/64" (1000 - 2000mm)

#### Frame materials:

steel

#### Frame material finishing/coating:


paint

#### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01

#### Shade/diffuser material:

glass



# KANDELA

## CONCEPT SERIES

SMD - 32

Specifications:

IP20 rated  
Lighting system: 2 x LED  
Max Wattage: 2 x 5W  
Color temperature: 2000-4000K

Dimensions:

Ø 5-29/32" (150mm) | H 59" (1500mm)

Frame materials:

aluminum

Frame material finishing/coating:


anodizing  
paint  
naturally polished

Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01

Shade/diffuser material:

glass





## CONCEPT SERIES

## KANDELA

### SMD - 33

#### Specifications:

IP20 rated  
 Lighting system:  
 Color temperature: 2000-4000K

#### Dimensions:

L 13" (330mm) | B 17-21/64" (440mm)  
 H 10-15/64" - 11-27/64" (260 - 290mm)

#### Frame materials:

steel

#### Shade/diffuser material:


glass

#### Frame material finishing/coating:

paint  
 naturally polished

#### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01



# KANDELA

## CONCEPT SERIES

### SMD - 38

#### Specifications:

IP20 rated  
Lighting system: LED strip  
Color temperature: 2000-4000K

#### Dimensions:

L 10" (250mm) | B 41-11/32" (1050mm)  
H 59" (1500mm)

#### Frame materials:

steel  
aluminum

#### Shade/diffuser material:



glass

#### Frame material finishing/coating:

anodizing  
paint  
naturally polished

#### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01





## CONCEPT SERIES

## KANDELA

### SMD - 39

#### Specifications:

IP20 rated  
Lighting system: LED strip  
Color temperature: 2000-4000K

#### Dimensions:

L 10" (250mm) | B 41-11/32" (1050mm)  
H 59" (1500mm)

#### Frame materials:

steel  
aluminum

#### Shade/diffuser material:



acrylic  
glass

#### Frame material finishing/coating:

anodizing  
paint  
naturally polished

#### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01



# KANDELA

## CONCEPT SERIES

### SMD - 35

#### Specifications:

IP20 rated  
Lighting system: 8 x LED  
Max Wattage: 8 x 5W  
Color temperature: 2000-4000K

#### Dimensions:

L 10" (250mm) | H 70-55/64" (1800mm)

#### Frame materials:

steel

#### Shade/diffuser material:


acrylic

#### Frame material finishing/coating:

paint  
naturally polished

#### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01





## CONCEPT SERIES

## KANDELA

### SMD - 36

#### Specifications:

IP20 rated  
Lighting system: 4 x Led  
Max Wattage: 4 x 5W  
Color temperature: 2000-4000K

#### Dimensions:

L 10" (250mm) | B 3-35/64" (90mm)  
H 39-3/8" (1000mm)

#### Frame materials:

steel



#### Shade/diffuser material:


acrylic

#### Frame material finishing/coating:

paint  
naturally polished

#### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matt chrome | MT S04
-  gold | GL S01



# KANDELA

## CONCEPT SERIES

DMD - 17

### Specifications:

IP20 rated  
Lighting system: LED strip  
Color temperature: 2000-4000K

### Dimensions:

L 3-15/32" (88mm) | B 2-7/8" (73mm)  
H 41-11/32 (1050mm)

### Frame materials:

steel

### Shade/diffuser material:


glass

### Frame material finishing/coating:

anodizing  
paint  
naturally polished

### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01







## CONCEPT SERIES

## KANDELA

### DMD - 34

#### Specifications:

IP20 rated  
Lighting system: 4 x Led  
Max Wattage: 4 x 5W  
Color temperature: 2000-4000K

#### Dimensions:

L 10" (250mm) | B 5-1/8" (130mm)  
H 19-11/16" (500mm)

#### Frame materials:

steel  
aluminum

#### Shade/diffuser material:


acrylic  
glass

#### Frame material finishing/coating:

paint  
naturally polished

#### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01



# KANDELA

## CONCEPT SERIES

YMD - 06

### Specifications:

IP20 rated  
Lighting system: 9 x G5.3  
Max Wattage: 9 x 18W  
Color temperature: 2000-4000K

### Dimensions:

L 9-29/64" (240mm) | B 9-29/64" (240mm)  
H 90-15/64" (2292mm)

### Frame materials:

burnished brass  
brass

### Shade/diffuser material:


acrylic  
marble

### Frame material finishing/coating:

naturally polished

### Coating color:

-  brass | BR S02
-  burnished brass | BB S03





## CONCEPT SERIES

## KANDELA

### SMD - 18

#### Specifications:

IP20 rated  
Lighting system: 12 x E14  
Max Wattage: 12 x 40W  
Color temperature: 2000-4000K

#### Dimensions:

L 35-3/64" (890mm) | B 35-3/64" (890mm)  
H 19-11/16" - 39-3/8" (500 - 1000mm)

#### Frame materials:

steel





#### Shade/diffuser material:


glass

#### Frame material finishing/coating:

paint  
naturally polished

#### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01



# KANDELA

## CONCEPT SERIES

SMD - 37

### Specifications:

IP20 rated  
Lighting system: 1 x G9  
Max Wattage:  
Color temperature: 2000-4000K

### Dimensions:

L 6-11/16" (170mm) | B 20-15/32" (520mm)  
H 24" (610mm)

### Frame materials:

aluminum


### Frame material finishing/coating:


anodizing  
paint  
naturally polished

### Shade/diffuser material:

glass

### Coating color:


-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01



CONCEPT SERIES

KANDELA





ATELIER

# KANDELA

## ATELIER SERIES

SMD - 02

Specifications:

Environment IP:

Lighting system:

Max Wattage:

Color temperature:

Dimensions:

B 20-15/32" (520mm) | H 10" (250mm)

Frame materials:

steel


Shade/diffuser material:

glass

Frame material finishing/coating:

paint

naturally polished







## ATELIER SERIES

## KANDELA

### SMD - 04

#### Specifications:

IP20 rated  
Lighting system: LED strip  
Color temperature: 2000-4000 K

#### Dimensions:

L 59-1/16" (1500mm) | B 19-11/16" (500mm)  
H 59-1/16" - 78-47/64" (1500 - 2000mm)  
L 78-47/64 (2000mm) | B 39-3/8" (1000mm)  
H 59-1/16" - 78-47/64" (1500 - 2000mm)

#### Frame materials:

steel  
aluminum





#### Shade/diffuser material:



glass

#### Frame material finishing/coating:

anodizing  
paint  
naturally polished

#### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01



# KANDELA

# ATELIER SERIES

SMD - 05

Specifications:

IP20 rated  
Lighting system: 25 x G5.3  
Max Wattage: 25 x 18W  
Color temperature: 2000-4000K

Dimensions:

L 98-27/64" (2500mm) | B 98-27/64" (2500mm)  
H 90-35/64" (2300mm)

Frame materials:


stainless steel

Frame material finishing/coating:

naturally polished

Shade/diffuser material:

glass





## ATELIER SERIES

## KANDELA

### SMD - 22

#### Specifications:

IP20 rated  
Lighting system: 21 x G5.3  
Max Wattage: 21 x 18W  
Color temperature: 2000-4000K

#### Dimensions:

L 86-39/64" (2200mm) | B 125-63/64" (3200mm)  
H 31-1/2" (800mm)

#### Frame materials:



stainless steel

#### Frame material finishing/coating:

naturally polished

#### Shade/diffuser material:

glass



# KANDELA

## ATELIER SERIES

SMD - 23

### Specifications:

IP20 rated  
Lighting system: 26 x G5.3  
Max Wattage: 26 x 5W  
Color temperature: 2000-4000K

### Dimensions:

L 80-45/64" (2050mm) | B 77-9/16" (1970mm)  
H 74-51/64" (1900mm)

### Frame materials:

steel

### Frame material finishing/coating:


paint  
naturally polished

### Shade/diffuser material:

glass

### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01





## ATELIER SERIES

## KANDELA

### SMD - 43

#### Specifications:

IP20 rated  
Lighting system: 21 x G5.3  
Max Wattage: 21 x 18W  
Color temperature: 2000-4000K

#### Dimensions:

L 118-7/64" (3000mm) | B 59" (1500mm)  
H 59" (1500mm)

#### Frame materials:



stainless steel

#### Frame material finishing/coating:

naturally polished

#### Shade/diffuser material:

glass  
crystal



# KANDELA

## ATELIER SERIES

YMD - 16

### Specifications:

IP20 rated  
Lighting system: 21 x G5.3  
Max Wattage: 18W x 21  
Color temperature: 2000-4000K

### Dimensions:

Ø 118-7/64" (3000mm) | H 31-1/2" (800mm)

### Frame materials:

steel


### Frame material finishing/coating:


paint  
naturally polished

### Shade/diffuser material:

glass

### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01





## ATELIER SERIES

## KANDELA

### DMD - 15

#### Specifications:

IP20 rated  
Lighting system: LED strip  
Color temperature: 2000-4000K

#### Dimensions:

L 1-37/64" (40mm) | B 4-21/64" (110mm)  
H 20-15/32 (520mm)

#### Frame materials:

steel

#### Shade/diffuser material:


glass

#### Frame material finishing/coating:

paint  
naturally polished

#### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01



# KANDELA

## ATELIER SERIES

SMD - 26

### Specifications:

IP20 rated  
Lighting system: 288 x LED  
Max Wattage: 288 x 1W  
Color temperature: 2000-4000K

### Dimensions:

Ø 200-25/32" (5100mm) | H 189" (4800mm)

### Frame materials:

steel




### Frame material finishing/coating:



paint  
naturally polished

### Shade/diffuser material:

acrylic

### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01







## ATELIER SERIES

## KANDELA

### SMD - 27

#### Specifications:

IP20 rated  
Lighting system: 1 x E 14  
Max Wattage: 1 x 40W  
Color temperature: 2000-4000K

#### Dimensions:

Ø 5-29/32" (150mm) | H 118" (3000mm)





#### Frame materials:

aluminum

#### Frame material finishing/coating:


anodizing  
paint  
naturally polished

#### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01

#### Shade/diffuser material:

acrylic  
glass  
composite



# KANDELA

## ATELIER SERIES

SMD - 30

Specifications:

IP20 rated  
Lighting system: 12 x E9  
Color temperature: 2000-4000K

Dimensions:

Ø 31-1/2" (800mm) | H 59" (1500mm)

Frame materials:

brass

Frame material finishing/coating:

paint  
naturally polished

Shade/diffuser material:

glass

Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01





## ATELIER SERIES

## KANDELA

SMD - 40

### Specifications:

IP20 rated  
Lighting system: 20 x E9  
Color temperature: 2000-4000K

### Dimensions:

L 59" (1500mm) | B 23-5/8" (600mm)  
H 39-3/8" - 59" (1000 - 1500mm)

### Frame materials:

brass





### Shade/diffuser material:


glass

### Frame material finishing/coating:

paint  
naturally polished

### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01



# KANDELA

## ATELIER SERIES

TMD - 43

Specifications:

IP20 rated  
Lighting system: LED strip  
Color temperature: 2000-4000K

Dimensions:




Can be customized as per request of a client

Frame materials:

aluminum

Shade/diffuser material:

acrylic





## ATELIER SERIES

## KANDELA

### TMD - 42

#### Specifications:

IP20 rated  
Lighting system: LED strip  
Max Wattage: 12 x 40W  
Color temperature: 2000-4000K

#### Dimensions:

L 118" (3000mm) | B 94-31/64" (2400mm)  
H 19-11/16" (500mm)


or can be customized as per request of a client

#### Frame materials:

aluminum

#### Shade/diffuser material:

GT-2001  
NT-2001  
composite



# KANDELA

## ATELIER SERIES

SMD - 54

### Specifications:

IP20 rated  
Lighting system: 38 x E14  
Max Wattage: 38 x 46W  
Color temperature: 2000-4000K

### Dimensions:

L 47-1/4" (1200mm) | B 110-15/64 (2800mm)  
H 78-47/64" (2000mm)

### Frame materials:


steel

### Frame material finishing/coating:

naturally polished

### Shade/diffuser material:

glass  
crystal





## ATELIER SERIES

## KANDELA

SMD - 55

Specifications:

IP20 rated  
Lighting system: 14 x E14  
Max Wattage: 14 x 30 W  
Color temperature: 2000-4000K

Dimensions:

L 45-9/32" (1150mm) | B 110" (2800mm)  
H 78" (2000)

Frame materials:


steel

Frame material finishing/coating:

naturally polished

Shade/diffuser material:

glass  
crystal



# KANDELA

## ATELIER SERIES

SMD - 56

### Specifications:

IP20 rated  
Lighting system: 40 x G9  
Max Wattage: 40 x 3 W  
Color temperature: 2000-4000K

### Dimensions:

L 78" (2000mm) | B 19-11/16" (500mm)  
H 39-3/8" - 78" (1000 - 2000mm)

### Frame materials:

stainless steel





### Frame material finishing/coating:


naturally polished

### Shade/diffuser material:

glass  
crystal

### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01







## ATELIER SERIES

## KANDELA

### SMD - 57

#### Specifications:

IP20 rated  
Lighting system: 60 x LED  
Max Wattage: 60 x 1 W  
Color temperature: 2000-4000K

#### Dimensions:

L 197" (5000mm) | B 19-11/16 (500mm)  
H 31-1/2" (800mm)

#### Frame materials:


stainless steel

#### Frame material finishing/coating:

naturally polished

#### Shade/diffuser material:

glass  
crystal



# KANDELA

## ATELIER SERIES

SMD - 25

### Specifications:

IP20 rated  
Lighting system: 19 x G9  
Max Wattage: 19 x 3W  
Color temperature: 2000-4000K

### Dimensions:

Ø 51" (1300mm) | H 55" - 98" (1500 - 2500mm)

### Frame materials:


brass  
aluminum

### Frame material finishing/coating:

anodizing  
paint  
naturally polished

### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01





## ATELIER SERIES

## KANDELA

### SMD - 49

#### Specifications:

IP20 rated  
Lighting system: 7 x G9  
Color temperature: 2000-4000K

#### Dimensions:

L 37" (940mm) | B 64" (1640mm)  
H 39-3/8" - 59" (1000 - 1500mm)

#### Frame materials:

stainless steel




#### Shade/diffuser material:


glass

#### Frame material finishing/coating:

naturally polished

#### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01



# KANDELA

## ATELIER SERIES

SMD - 53

### Specifications:

IP20 rated  
Lighting system: 60 x LED  
Max Wattage: 60 x 1W  
Color temperature: 2000-4000K

### Dimensions:

Ø 31-1/2" (800mm) | H 118" (3000mm)

### Frame materials:

brass





### Shade/diffuser material:


crystal

### Frame material finishing/coating:

naturally polished

### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01





## ATELIER SERIES

## KANDELA


### SMD - 45

#### Specifications:

IP20 rated  
 Lighting system: 8 (H7) x E27  
 Max Wattage: 8 (H7) x 46W  
 Color temperature: 2000-4000K

#### Dimensions:

Ø 31-1/2" (800mm) | H 78" (2000mm)  
 or can be customized as per request of a client



#### Frame materials:


steel

#### Frame material finishing/coating:

paint  
 naturally polished

#### Shade/diffuser material:

glass  
 crystal



# KANDELA

## ATELIER SERIES

SMD - 50

Specifications:

IP20 rated  
Lighting system: LED strip

Dimensions:

L 59" (1500mm) | B 19-11/16" (500mm)  
H 39-3/8" - 59" (1000 - 1500mm)  
or can be customized as per request of a client





Frame materials:


steel

Frame material finishing/coating:

naturally polished

Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01





## ATELIER SERIES

## KANDELA

### SMD - 51

#### Specifications:

IP20 rated  
Lighting system: 1 x E27  
Max Wattage: 1 x 60W  
Color temperature: 2000-4000K

#### Dimensions:

L 64" (1630mm) | B 15-3/4" (400mm)  
H 51" (1300mm)





#### Frame materials:

brass

#### Frame material finishing/coating:


paint  
naturally polished

#### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01

#### Shade/diffuser material:

-  fabric | VK1-2001
-  fabric | VK2-2001
-  fabric | VK3-2001



# KANDELA

## ATELIER SERIES

DMD - 52

### Specifications:

IP20 rated  
Lighting system: 1 x E27  
Color temperature: 2000-4000K

### Dimensions:

L 19-11/16" (500mm) | B 10" (250mm)  
H 118" (3000mm)

### Frame materials:

steel





### Shade/diffuser material:


ceramics

### Frame material finishing/coating:

paint  
naturally polished

### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01







## ATELIER SERIES

## KANDELA

### SMD - 47

#### Specifications:

IP20 rated  
Lighting system: LED  
Max Wattage: 5W  
Color temperature: 2000-4000K

#### Dimensions:

Ø 5-29/32" (150mm) | H 139-3/8" - 59" (1000 - 1500mm)

#### Frame materials:

stainless steel



#### Shade/diffuser material:


glass

#### Frame material finishing/coating:

naturally polished

#### Coating color:

-  matte chrome | MT S04
-  gold | GL S01



# KANDELA

## ATELIER SERIES

SMD - 46

### Specifications:

IP20 rated  
Lighting system: 23 x E14  
Max Wattage: 23 x 25W  
Color temperature: 2000-4000K

### Dimensions:

Ø 59" (1500mm) | H 59" - 78" (1500 - 2000mm)

### Frame materials:

steel

### Frame material finishing/coating:


paint  
naturally polished

### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01

### Shade/diffuser material:

- fabric | VK1-2001
- fabric | VK2-2001





## ATELIER SERIES

## KANDELA

### SMD - 45

#### Specifications:

IP20 rated  
Lighting system: 4 x E14  
Color temperature: 2000-4000K

#### Dimensions:

Ø 19-11/16" (500mm) | H 47-1/4" (1200mm)  
or can be customized as per request of a client

#### Frame materials:

steel





#### Shade/diffuser material:


glass

#### Frame material finishing/coating:

paint  
naturally polished

#### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01



# KANDELA

## ATELIER SERIES

SMD - 29

### Specifications:

IP20 rated  
Lighting system: LED strip  
Color temperature: 2000-4000K

### Dimensions:

Ø 24" (630mm) | H 67" (1700mm)

### Frame materials:

steel  
brass


### Shade/diffuser material:


glass

### Frame material finishing/coating:

paint  
naturally polished

### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01





## ATELIER SERIES

## KANDELA

### SMD - 31

#### Specifications:

IP20 rated  
Lighting system: 5 x E9 + 2 x LED  
Max Wattage: 5 x 3W + 2 x 3W  
Color temperature: 2000-4000K

#### Dimensions:

L 15-3/4" (400mm) | B 31-1/2" (800mm)  
H 59" (1500mm)

#### Frame materials:

steel  
brass





#### Shade/diffuser material:


glass

#### Frame material finishing/coating:

paint  
naturally polished

#### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01



# KANDELA

## ATELIER SERIES

YMD - 12

### Specifications:

IP20 rated  
Lighting system: 1 x E27

### Dimensions:

L 19-11/16" (500mm) | B 7-7/8" (200mm)  
H 55" (1400mm)

### Frame materials:

steel

### Frame material finishing/coating:

paint  
naturally polished


### Coating color:

- brass | BR S02
- burnished brass | BB S03
- matte chrome | MT S04
- gold | GL S01

### Shade/diffuser material:

acrylic

- fabric | VK1-2001
- fabric | VK2-2001
- fabric | VK3-2001





## ATELIER SERIES

## KANDELA

### TMD - 3

#### Specifications:

IP20 rated  
Lighting system: 1LED strip  
Color temperature: 2000-4000K

#### Dimensions:


H 39-3/8" (1000mm) | B 3-5/32" (80mm)  
or can be customized as per request of a client

#### Frame materials:

aluminum

#### Shade/diffuser material:

fabric | VK1-2001 / VK1-2002



# KANDELA

## ATELIER SERIES

SMD - 09

### Specifications:

IP20 rated  
Lighting system: 6 x E14  
Max Wattage: 6 x 20W  
Color temperature: 2000-4000K

### Dimensions:

Ø 31-1/2" (800mm) | H 47-1/4" (1200mm)

### Frame materials:


steel

### Frame material finishing/coating:

paint  
naturally polished

### Shade/diffuser material:

glass  
marble  
wood







## ATELIER SERIES

## KANDELA

### SMD - 28

#### Specifications:

IP20 rated  
Lighting system: 1 x E27

#### Dimensions:

L 9" (226mm) | B 9" (226mm)  
H 43-5/16" (1100mm)





#### Frame materials:

brass

#### Frame material finishing/coating:


naturally polished

#### Coating color:

-  brass | BR S02
-  burnished brass | BB S03
-  matte chrome | MT S04
-  gold | GL S01

#### Shade/diffuser material:

-  fabric | VK1-2001
-  fabric | VK2-2001
-  fabric | VK3-2001





PROJECTS

# KANDELA

# PROJECTS



Design Hotel StandART Moscow





Design Hotel StandART Moscow



PROJECTS



Cafe Tekirdag

KANDELA





Monza Restaurant Sn. Petersburg







Casino Sochi



PROJECTS



KANDELA



Casino Sochi

# KANDELA

# PROJECTS




Sochi RODINA Grant Hotel & Spa



PROJECTS




KANDELA





PROJECTS



Vladivostok Akura Hotel

KANDELA



# KANDELA

# PROJECTS



Private House Moscow





PROJECTS



Private House

KANDELA





Business Center Geneva House Moscow



Busines Center Geneva House Moscow



The project received an award at the lighting exhibition



Private House Moscow

PROJECTS



Private House Moscow

KANDELA



# KANDELA



Private House Moscow



Yujniy Port Moscow

# KANDELA

LIGHTING & DESIGN

KANDELA ELEKTRİK Turizm ve İnşaat Sanayi Ticaret Ltd. Şti

## FACTORY

Hatip mah. 1702. Sokak, Trakya Sanayi Sitesi,  
Blok: B1, No:2KG-KH-KI, Corlu / Tekirdag - Türkiye

Tel: + 90 282 502 02 24



## OFFICE

Orta mah. Yalnız Selvi cad. Marifet sok., No:4, Kat 7 Daire 14.  
Work Center, Kartal / İstanbul

[www.kandelalighting.com.tr](http://www.kandelalighting.com.tr)